
Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

# Certificate of Analysis

GHK-Cu/TB-500/BPC-157/KPV 50 mg/10 mg/10 mg/10 mg

Report To:
**Umbrella Labs**

Compound: GHK-Cu/TB-500/BPC-157/KPV
Quantity: 50 mg/10 mg/10 mg/10 mg
Laboratory ID: V251201-16 008
Lot Number: ULP-49200
Date Reported: 1/28/2026




| Analysis | Method | Result |
|---|---|---|
| Chromatographic Purity | HPLC-UV/VIS | >99.50% ± 0.18% |
| Quantity: GHK-Cu | HPLC-UV/VIS | 51.23 mg |
| Quantity: BPC-157 | HPLC-UV/VIS | 11.10 mg |
| Quantity: TB-500 | HPLC-UV/VIS | 10.45 mg |
| Quantity: KPV | HPLC-UV/VIS | 11.03 mg |

Report By: Dustin Newman, Laboratory Director on 1/28/2026

Approved By: Tori Johnson, Operations Manager on 1/28/2026

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.